

The

2872

PATENT APPLICATION Docket No: 14321.65

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of)
	Kazuhide Nakajima et al.)
Serial No.:	10/523,460) Art Unit
Filing Date:	February 6, 2005) 2872
Confirmation No.:	5805)
For:	SINGLE MODE OPTICAL FIBER WITH ELECTRON VACANCIES))

CERTIFICATE OF DEPOSIT UNDER 37 C.F.R. § 1.8

I hereby certify that the following documents are being deposited with the United States Postal Service as First Class Mail, postage prepaid, in an envelope addressed to: Commissioner for Patents, PO Box 1450, Alexandria, Virginia 22313-1450, on the 9th day of November 2005.

- Transmittal for Information Disclosure Statement (3 pages)
- Information Disclosure Statement (3 pages)
- Form PTO-1449 listing 15 references (2 pages)
- A copy of each of the references listed on the Form PTO-1449
- Postcard

Respectfully submitted,

DANA L. TANGREN

Attorney for Applicant

Registration No. 37,246

Customer No. 022913

Telephone No. 801.533.9800

DLT:dfw W:\14321\65\DFW0000016033V001.DOC

RICK D. NYDEGGER BRENT P. LORIMER THOMAS R. VUKSINICK LARRY R. LAYCOCK IONATHAN W. RICHARDS-DAVID R. WRIGHT JOHN C. STRINGHAM JOHN M. GUYNN CHARLES L. ROBERTS DANA L. TANGREN ERIC L. MASCHOFF CHARLES J. VEVERKA ROBYN L. PHILLIPS RICHARD C. GILMORE * STERLING A. BRENNAN R. BURNS ISRAELSEN DAVID R. TODD DAVID B. DELLENBACH L. DAVID GRIFFIN ADRIAN J. LEE FRASER D. ROY CARL T. REED



R. PARRISH FREEMAN, JR. PETER F. MALEN, JR. L. REX SEARS, Ph.D. WILLIAM R. RICHTER ROBERT E. AYCOCK JENS C. JENKINS MICHAEL B. DODD Kevin W. Stinger WILLIAM J. ATHAY RYAN D. BENSON SARA D. IONES TIGE KELLER JANNA L. JENSEN MATTHEW D. TODD J. LAVAR OLDHAM MICHAEL J. FRODSHAM BRETT A. HANSEN BRETT I. JOHNSON MATTHEW A. BARLOW Wesley C. Rosander Andrew S. Hansen CHAD E. NYDEGGER JOSEPH G. PIA CLINTON E. DUKE RYAN N. FARR * JAMES B. BELSHE KIRK R. HARRIS KEELY SCHNEITER MICHAEL M. BALLARD DAVID A. JONES SHANE K. IENSEN JONATHAN M. BENNS, Ph.D.

VERNON R. RICE §
OF COUNSEL

Workman | Nydegger

INTELLECTUAL PROPERTY ATTORNEYS

1000 EAGLE GATE TOWER
60 EAST SOUTH TEMPLE
SALT LAKE CITY, UTAH 84111
TELEPHONE: (801) 533-9800
FAX: (801) 328-1707

WEBSITE: HTTP://WWW.WNLAW.COM

PATENT APPLICATION Docket No: 14321.65

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of)
	Kazuhide Nakajima et al.)
Serial No.:	10/523,460) Art Unit
Filing Date:	February 6, 2005) 2872
Confirmation No.:	5805)
For:	SINGLE MODE OPTICAL FIBER WITH ELECTRON VACANCIES))

TRANSMITTAL FOR INFORMATION DISCLOSURE STATEMENT

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

Transmitted herewith for filing and pursuant to 37 C.F.R. § 1.97 is an Information Disclosure Statement, which includes the following statements, if any, required variously by 37 C.F.R. § 1.98:

<u>X</u>	Statement of	of relevance	of	selected	cited	references	not	in	the	English
	language wh	hich are not t	ran	slated.						

- Statement that selected cited references are substantially cumulative of an enclosed or previously submitted reference.
- Statement that selected cited references were previously cited by or submitted to the United States Patent and Trademark Office in a prior application which is relied upon for an earlier filing date under 35 U.S.C. § 120.

November 9, 2005	
Page 2	

A.	Additional Materials Required Due to Content of Information Disclosure Staten	nent
		11011

Transmitted are the following documents in addition to the Information Disclosure Statement as required variously under 37 C.F.R. § 1.98:

	<u>X</u>	Form I	PTO-1449 listing 15 reference submitted for consideration.
	<u>X</u>	A copy	y of each of the references listed on the Form PTO-1449.
		_	h translations of () of the references listed on the Form PTO-1449 are not in the English language.
		Copies applica	s of the following documents from the prosecution of a previous, related ation:
			Form PTO-1449 AND INFORMATION DISCLOSURE STATEMENT; and
			Form PTO-892
	B.	Addition Statem	onal Materials Required Due to Timing of Filing of Information Disclosure nent
follow			ted Information Disclosure Statement is being filed within one (1) of the ne periods:
	I.	X	Prior to the later of either three (3) months following the filing date or the mailing of a first Office Action. Accordingly, no materials other than those listed above are enclosed.
	II.		Following the latter of either three (3) months following the filing date or the mailing of a first Office Action, but before the mailing of a final Office Action or a Notice of Allowance. Accordingly, to secure consideration thereof, one (1) of the following is also enclosed:
			Promptness Certification; or
			Check No in the amount of constituting the submission fee set forth in 37 C.F.R. § 1.17(p).
	III.		After the mailing of a Notice of Allowance, but before payment of the Issue Fee. Accordingly, in order to secure consideration thereof, each of the following are also enclosed:
			Promptness Certificate;
			Petition for Consideration; and

		Check No. in the amount of constituting the petition fee set forth in 37 C.F.R. § 1.17(i)(1).				
IV.		After payment of the Issue Fee. Accordingly, in order to secure consideration thereof, each of the following are also enclosed:				
		Petition to Withdraw from Issue; and				
		Check No in the amount of constituting the petition fee set forth in 37 C.F.R. § 1.17(i)(1).				
C.	<u>Fees</u>					
ing fee	s associ	sioner is hereby authorized to charge payment of or any deficiency in the ated with this communication, or to credit any overpayment thereof, to Deposit 3. A duplicate copy of this letter is enclosed.				
<u>X</u>	Any f therew	ee required in relation to filing of this letter or any documents transmitted vith.				
	1.97(c	abmission fee set forth in 37 C.F.R. § 1.17(p) in the event that 37 C.F.R. § applies and the Examiner is not satisfied that any Promptness Certificate tted meets the requirements of 37 C.F.R. § 1.97(e).				
	The su	abmission fee set forth in 37 C.F.R. § 1.17(p).				
	The pe	etition fee set forth in 37 C.F.R. § 1.17(i)(1).				
Dated this 9 th day of November 2005.						
		Respectfully submitted,				

DANA L. TANGREN Attorney for Applicant Registration No. 37,246 Customer No. 022913

Telephone No. 801.533.9800

DLT:dfw Enclosures DFW0000016030V001.doc





IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of)
	Kazuhide Nakajima et al.)
Serial No.:	10/523,460) Art Unit
Filing Date:	February 6, 2005) 2872
Confirmation No.:	5805)
For:	SINGLE MODE OPTICAL FIBER WITH ELECTRON VACANCIES)))

INFORMATION DISCLOSURE STATEMENT UNDER 37 C.F.R. § 1.97

Commissioner for Patents PO Box 1450 Alexandria, Virginia 22313-1450

Sir:

Please find, pursuant to 37 C.F.R. § 1.98(a)(1), the enclosed Form PTO-1449 which contains a list of all patents, publications, or other items that have come to the attention of one or more of the individuals designated in 37 C.F.R. § 1.56(c). While no representation is made that these references may be "prior art" within the meaning of that term under 35 U.S.C. §§ 102 or 103, the enclosed listed references are disclosed so as to fully comply with the duty of disclosure set forth in 37 C.F.R. § 1.56.

Moreover, while no representation is made that a specific search of office files or patent office records has been conducted or that no better art exists, the undersigned attorney of record believes that the enclosed art is the closest to the claimed invention (taken in its entirety) of which the undersigned is presently aware, and no art which is closer to the claimed invention (taken in its entirety) has been knowingly withheld.

In accordance with 37 C.F.R. §§ 1.97 and 1.98, a copy of each of the listed references or relevant portion thereof that is not a US patent document is also enclosed.

Statement of Relevance of References Listed Unaccompanied by English Translation Under 37 CFR § 1.98(a)(3)

In accordance with 37 CFR § 1.98(a)(3), the following concise explanation of the relevance of each listed reference that is not in the English language and unaccompanied by a translation into English is provided.

Japanese Patent No. 09-274118: PROBLEM TO BE SOLVED: To widen the effective area of operating wavelength windows respectively near 1300nm and 1550nm. SOLUTION: This fiber consists of a core region which has a center line and radius along the longitudinal axis of the fiber and a refractive index reflection distribution and max. refractive index and a clad layer which encloses this core region and has the refractive index reflection distribution and max. refractive index nC. In such a case, at least part of the refractive index distribution of the core region has the refractive index larger than nC. The core region is characterized by the max. refractive index which is apart from the center line, the min. point of the refractive index distribution which exists near the center line and the central line which is the symmetrical axis of the refractive index distribution.

Japanese Patent No. 11-218632: PROBLEM TO BE SOLVED: To provide a dispersion shift fiber (DSF) which is suitable for light- wavelength division multiplex transmission. SOLUTION: A refractive index distribution and a core diameter ratio are found so as to obtain an optimum mode filed diameter and an optimum dispersion gradient. In concrete, nonlinearlity and a low dispersion gradient are both obtained by setting the specific refractive index difference (Δ 1) to the refractive index of pure silica of a center core 1 to +0.7 to +0.85%, a refractive index distribution parameter (a constant) to 1.2 to 1.8, the specific refractive index difference of a 1st side core 2 to -0.05 to +0.1%, the specific refractive index difference (Δ 3) to +0.3 to +0.6%, the radius (a 1/2) of the 1st side core 2 to 2 to 4.5 μ m, and the radius (a2/2) of the 1st side core 2 to 7 to 12.5 μ m and the radius (a3/2) of the 2nd core 3 to 7-12.5 μ m. Judging from that the nonlinearlity can be obtained, waveform distortion of signal light can be controlled for fast, large-capacity transmission and judging from the small dispersion gradient, a wide wavelength range can be used for the signal light.

Japanese Patent No. 2000-356719: PROBLEM TO BE SOLVED: To provide a device which exhibits a relatively large nonlinear interaction at visible and near IR (vis-nir) wavelengths. SOLUTION: A suitably designed optical waveguide exhibits an abnormal (positive) dispersion over the continuous body of the vis-nir wavelength and the fiber 10 exhibits zero dispersion at a visible wavelength (for example, about 760 nm). These characteristics are achieved by mutually matching a core region 12 and the refractive index difference between the core region 12 and a clad 14 (making the core region 12 relatively small and making the refractive index difference relatively large). In a more preferable embodiment, the zero dispersion point occurs at the vis-nir wavelength. For example, the optical waveguide is fine structure fiber 10 having the silica core 12 enclosed by the relative thin inner clad 14 having plural capillary holes 14 and 1 enabling the refractive index waveguide in the core 12. The patterns of the cross sections of the holes are for example, hexagonal or triangular.

Japanese Patent No. 2001-033647: PROBLEM TO BE SOLVED: To provide a dispersion-shifted optical fiber of substantially single mode which satisfies such condition that a bending loss is 100 dB/m or less, and capable of sufficiently enlarging an Aeff and reducing the dispersion slope. SOLUTION: This dispersion-shifted optical fiber having a double O-ring type of refractive index distribution shape has a cut-off wavelength serving as substantial single mode propagation, of which an Aeff is 45-120 μ m2, a dispersion slope is 0.03-0.10 ps/km/nm2, a bending loss is 100 dB/m or less, and of which an absolute value of a wavelength dispersion value is 0.5-8 ps/km/nm, in a using wavelength band selected from 1,490-1.610 μ m.

Japanese Patent No. 2001-147338: PROBLEM TO BE SOLVED: To provide technique for realizing either low cost or transmission characteristic or both, in an optical communication system which uses one or more kinds of optical fibers. SOLUTION: This optical fiber is constituted of a center core 1, a stepped core 2 which is provided on the outer circumference of the center core and which has a refractive index lower than that of the center core 1, and a cladding 7, which is provided on the outer circumference of the stepped core 2 and which has a refractive index lower than that of the stepped core 2, and that, in the band of wavelength in use selected from 1,490-1,625 nm, it has a spectrum spread of 7-15 ps/km/nm, Aeff of 60-150 μ m2, a dispersion slope of 0.09 ps/km/nm2 or less, bending loss of 100 dB/m or lower, and a cut-off wavelength which essentially becomes single-mode propagation.

Japanese Patent No. 2004-226539: PROBLEM TO BE SOLVED: To provide an optical fiber having an improved bending characteristic and its manufacturing method. SOLUTION: In forming the optical fiber 10-1 having a wholly fiber structure, a preform 100 is formed in such a manner that the inner diameter of a vacancy 10h attains the inner diameter within a range from $\geq 3to \leq 10 \ \mu m$. The effect of confining the light of a core 10cr is thereby improved and the bending characteristic of the optical fiber 10-1 is improved.

Dated this 9th day of November 2005.

Respectfully submitted,

Dana L. Tangren

Attorney for Applicant Registration No. 37,246

Customer No. 022913

Telephone No. 801.533.9800

DLT:dfw W:\14321\65\DFW0000016033V001.DOC Form PTO **£44^{AP59}**Applicant: Serial No.: Le 23,460

For:

Sheet 1 of 3 Confirmation No.: 5805

Att'y Docket No.: 14321.65

Art Unit: 2872

Jebruary 6, 2005

INGLE MODE OPTICAL FIBER WITH ELECTRON VACANCIES

INFORMATION DISCLOSURE CITATIONS MADE BY APPLICANT

U.S. Patent Documents

Examiner <u>Initial*</u>	Document Number	Issue <u>Date</u>	<u>Name</u>	:		
		Foreign Patent Documer	<u>nts</u>			
Examiner <u>Initial</u> *	Document Number	Publication	Country or Patent Office	Translation		
1	09-274118	10/21/1997	Japan	No		
2	11-218632	08/10/1999	Japan	No		
3	2000-356719	12/26/2000	Japan	No		
4	2001-033647	02/09/2001	Japan	No		
5	2001-147338	05/29/2001	Japan	No		
6	2004-226539	08/12/2004	Japan	No		
Other Documents (including author, title, pertinent pages, etc.)						
Examiner Initial*						
7		near Fiber Optics, Second Editionic Press 1995, pp. 37-43.	on, Section 2.3.1, Nonlinea	r Pulse		
2000. Characteristics of a Single-Mode Optical Fibre Cable, ITU-T Recommendation G.652, October 2000.						
Examiner:		Date Considere	ed:			
	•					

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609, draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-14 Applicant: Serial No.: Filing Date: For:	Kazuhide Nakajima et al. Confirma 10/523,460 Att'y Docke	Sheet 2 of 3 ation No.: 5805 t No.: 14321.65 Art Unit: 2872
9	T. Hasegawa et al., <i>Modeling and Design Optimization of Hole-Assisted Lightguid Full-Vector Finite Element Method</i> , Proceedings 27 th European Conference on Optimization (ECOC 2001), pp. 324-325.	
10	B.J. Eggleton et al., Cladding-Mode-Resonances in Air-Silica Microstructure Opt Journal of Lightwave Technology, Vol. 18, No. 8, August 2000, pp. 1084-1100.	ical Fibers,
11	Bing Yao et al., A Study of Utilization of Holey Fibers, The Institute of Electronic and Communication Engineers, Technical Report of IEICE, January 2003, pp. 47-English translation.	
12	Takemi Hasegawa, Recent Advances in Photonic Crystal Fibers and Holey Fibers of Electronics, Information and Communication Engineers, Technical Report of Il December 2001, pp. 13-18, with English translation.	
13	Takemi Hasegawa et al., Novel Hole-Assisted Lightguide Fiber Exhibiting Large Dispersion and Low Loss Below 1 dB/km, Optics & Photonics News, Vol. 12, Issu	
14	Jian Zhou et al., A Study on Bending Loss Characteristics of Hole Assisted Optical Access Network Service Systems Laboratories, NTT Corporation, 2003, pp. 632, translation.	
15	Jian Zhou et al., Application of PCF to Optical Fiber Wiring in Residential and Be Premises, The Institute of Electronics, Information and Communication Engineers Report of IEICE, January 2003, pp. 41-46, with English translation.	usiness s, Technical

Date Considered:

Examiner:

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609, draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449

Applicant:

Kazuhide Nakajima et al.

Serial No.:

For:

10/523,460

Filing Date:

February 6, 2005

Att'y Docket No.: 14321.65 Art Unit: 2872

Confirmation No.: 5805

Sheet 3 of 3

SINGLE MODE OPTICAL FIBER WITH ELECTRON VACANCIES

References Cited by Applicants

While the filing of Information Disclosure Statements is voluntary, the procedure is governed by the guidelines of Section 609 of the Manual of Patent Examining Procedure and 37 C.F.R. §§ 1.97 and 1.98. To be considered a proper Information Disclosure Statement, Form PTO-1449 shall be accompanied by a copy of each listed patent or publication or other item of information and a translation of the pertinent portions of foreign documents (if an existing translation is readily available to the applicant), an explanation of relevance of each reference not in the English language, and should be submitted in a timely manner as set out in MPEP Sec. 609.

Examiners will consider all citations submitted in conformance with 37 C.F.R. § 1.98 and MPEP Sec. 609 and place their initials adjacent the citations in the spaces provided on this form. Examiners will also initial citations not in conformance with the guidelines which may have been considered. A reference may be considered by the Examiner for any reason whether or not the citation is in full conformance with the guidelines. A line will be drawn through a citation if it is not in conformance with the guidelines AND has not been considered. A copy of the submitted form, as reviewed by the Examiner, will be returned to the applicant with the next communication. The original of the form will be entered into the application file.

Each citation initialed by the Examiner will be printed on the issued patent in the same manner as references cited by the Examiner on Form PTO-892.

The reference designations "A1," "A2," etc. (referring to Applicant's reference 1, Applicant's reference 2, etc.) will be used by the Examiner in the same manner as Examiner's reference designations "A," "B," "C," etc. on Office Action Form PTO-1142.

W:\14321\65\DFW0000016031V001.doc

		ь
Examiner:	Date Considered:	

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609, draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.